


Teignbridge District Council



District Public Health Summary 2015-16

































































Public Health Annual Report 2014-15 Priorities for the health of people in Devon

1. Continuing to reduce health inequality across Devon, ensuring that the needs of our most vulnerable or unhealthy populations are being met, and that health care commissioners are able to evidence this.
2. Improving levels of physical activity and the proportion of people at a healthy weight, and promoting the Mediterranean diet to improve health.
3. Reducing excessive, harmful alcohol consumption.
4. Reducing the proportion of people in Devon who still smoke, particularly pregnant women, and preventing young people from starting smoking.
5. Ensuring all children have the best possible start in life and supporting families to do this.
6. Improving mental health and emotional wellbeing, particularly in children and young people.
7. Working to prevent domestic and sexual violence and abuse, and the sexual exploitation of children and young people.
8. Detecting and preventing the onset of chronic (long term) health conditions and reducing their severity during older age.
9. Increasing the early detection, and treatment of, cancer.
10. Increasing social connectivity in communities to reduce social isolation and loneliness, and increasing the opportunities we have to improve our own health and wellbeing.

Indicators from National Public Health Outcomes Report

TEIGNBRIDGE PUBLIC HEALTH OUTCOMES REPORT

Indicator List (follow links for detailed indicator reports)

RAG	Indicator	Value	England	Trend	TB/Dev/Eng
G	0.01 Life Expectancy Male	80.1	79.4		
G	0.01 Life Expectancy Female	84.2	83.1		
G	0.02 Gap in Life Expectancy Male	6.1	9.2		
G	0.02 Gap in Life Expectancy Female	2.9	6.8		
A	1.01 Children in Poverty	13.0%	19.2%		
G	1.10 Killed or Seriously Injured on Roads	37.6	39.2		
G	1.11 Domestic Violence	13.4	19.4		
A	1.17 Fuel Poverty	11.8%	10.4%		
A	1.18 Social Contentedness	40.9%	44.2%		
G	2.03 Smoking at Time of Delivery	11.8%	12.7%	-	
A	2.04 Under 18 Conception Rate	25.8	23.4		
A	2.06 Excess Weight in Four / Five Year Olds	22.9%	22.5%		
A	2.06 Excess Weight in 10 / 11 Year Olds	32.3%	33.5%		
G	2.07 Hospital Admissions for Injury, 0 to 14	98.2	112.2		
-	2.08 Emotional difficulties in looked after children	-	-	-	-
-	2.09 Smoking at Age 15	-	-	-	-
R	2.10 Hospital Admissions Self-Harm, 10 to 24	414.9	412.1		
G	2.11 Diet	64.5%	56.3%	-	
G	2.12 Excess Weight Adults	59.5%	63.8%	-	
G	2.13 Proportion of Physically Active Adults	60.7%	57.0%		
A	2.14 Adult Smoking Prevalence	17.4%	18.4%		
-	2.15 Drug Treatment Completion, Opiates	-	-	-	-
-	2.15 Drug Treatment Completion, Non-Opiates	-	-	-	-
G	2.18 Alcohol-Related Admissions (Narrow)	645.8	638.1		
A	2.18 Alcohol-Related Admissions (Broad)	1832.7	2137.7		
A	2.19 Cancer Diagnosed at Stage 1 or 2	45.5%	45.7%		
A	2.22 Percentage Offered an NHS Health Check	40.8%	42.5%		
G	2.22 Percentage Receiving an NHS Health Check	23.7%	20.6%		
G	2.22 NHS Health Check Uptake Rate	58.0%	48.4%		
-	2.23 Self-Reported Wellbeing (% low happiness)	-	-	-	-
G	2.24 Injuries Due to Falls	1884.9	2064.3		
A	3.02 Chlamydia Diagnosis Rate	1885.6	2012.0		
G	3.03 Population Vaccination (MMR Aged 5)	88.8%	88.5%		
G	4.03 Mortality Rate from Preventable Causes	160.7	183.9		
G	4.04 Under 75 Mortality Rate Circulatory Disease	62.7	78.2		
G	4.05 Under 75 Mortality Rate All Cancers	138.0	144.4		
A	4.10 Suicide Rate	10.9	8.8		
-	4.12 Preventable Sight Loss (Registrations)	-	-	-	-
G	4.13 Health-Related Quality of Life	0.755	0.726	-	
G	4.16 Dementia Diagnosis Rate	61.5%	60.8%		

RAG Ratings

R	RED: Major cause for concern locally, benchmarking poor / off-target
A	AMBER: Possible cause for concern locally, benchmarking average / target at risk
G	GREEN: No major cause for concern in locally, benchmarking good / on-target














































Indicator Types (Devon): Core = core measure significant impact/cost, Improve = poor outcomes or trend

www.devonhealthandwellbeing.org.uk/jsna/performance/phof/devon-reports

Indicators from Local Health and Wellbeing Outcomes Report

TEIGNBRIDGE HEALTH AND WELLBEING OUTCOMES REPORT

Indicator List (follow links for detailed indicator reports)

RAG	Indicator	Value	England	Trend	TB/Dev/Eng
Priority 1: A Focus on Families					
A	Children in Poverty	13.0%	19.2%		
G	Early Years Foundation Score (social/emotional)	64.0%	58.0%		
G	Smoking at Time of Delivery	11.8%	12.7%	-	
A	Teenage Conception Rate	25.8	23.4		
R	Hospital Admissions for Self-Harm, Aged 10 to 24	414.9	412.1		
Priority 2: Healthy Lifestyle Choices					
G	Proportion of Physically Active Adults	60.7%	57.0%		
A	Excess Weight in Four / Five Year Olds	22.9%	22.5%		
A	Excess Weight in 10 / 11 Year Olds	32.3%	33.5%		
G	Alcohol-Related Admissions (Narrow Definition)	645.8	638.1		
A	Alcohol-Related Admissions (Broad Definition)	1832.7	2137.7		
A	Adult Smoking Prevalence	17.4%	18.4%		
G	Under 75 Mortality Rate - Circulatory Diseases	62.7	78.2		
G	Under 75 Mortality Rate - All Cancers	138.0	144.4		
Priority 3: Good Health and Wellbeing in Older Age					
-	Incidence of Clostridium Difficile	-	-	-	-
G	Injuries Due to Falls	1884.9	2064.3		
G	Dementia Diagnosis Rate	61.5%	60.8%		
G	Feel Supported to Manage Own Condition	67.4%	63.3%		
G	Re-ablement Services (Effectiveness)	91.5%	81.9%		
-	Re-ablement Services (Coverage)	-	-	-	-
A	Readmissions to Hospital Within 30 Days	10.5	11.8		
Priority 4: Strong and Supportive Communities					
A	Suicide Rate	10.9	8.8		
G	Male Life Expectancy Gap	6.1	9.2		
G	Female Life Expectancy Gap	2.9	6.8		
-	Self-Reported Wellbeing (low happiness score %)	-	-	-	-
A	Social Contentedness	40.9%	44.2%		
-	Carer Reported Quality of Life	-	-	-	-
A	Stable/Appropriate Accommodation (Learn. Dis.)	62.5%	73.3%		
-	Stable/Appropriate Accommodation (Mental Hlth)	-	-	-	-
RAG Ratings					
R	RED: Major cause for concern locally, benchmarking poor / off-target				
A	AMBER: Possible cause for concern locally, benchmarking average / target at risk				
G	GREEN: No major cause for concern in locally, benchmarking good / on-target				


Indicator Types (Devon): Chall = Devon Board role is to challenge lead organisations on poor outcomes, Improve = Joint working required to improve outcomes, Watch = outcomes good, monitoring role for board

www.devonhealthandwellbeing.org.uk/jsna/health-and-wellbeing-outcomes-report/

The Public Health England Health Profile for Teignbridge 2015 highlights Smoking at the time of delivery and incidence of malignant melanoma where the area is significantly worse than the England rate. Link: [Health Profiles](#). The Devon Health and Wellbeing pages provide further information in the Joint Strategic Needs Assessments (JSNA) for the North Devon District Council Areas and Devon towns as well as GP practice profiles. Link: [Devon Health and Wellbeing Pages -JSNA](#)

Health summary for Teignbridge

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the black line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.



Indicator notes

1 % people in this area living in 20% most deprived areas in England, 2013 2 % children (under 16) in families receiving means-tested benefits & low income, 2012
3 Crude rate per 1,000 households, 2013/14 4 % key stage 4, 2013/14 5 Recorded violence against the person crimes, crude rate per 1,000 population, 2013/14
6 Crude rate per 1,000 population aged 16-64, 2014 7 % of women who smoke at time of delivery, 2013/14 8 % of all mothers who breastfed their babies in the first 48hrs after delivery, 2013/14 9 % school children in Year 6 (age 10-11), 2013/14 10 Persons under 18 admitted to hospital due to alcohol-specific conditions, crude rate per 100,000 population, 2011/12 to 2013/14 (pooled) 11 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2013 12 % adults aged 18 and over who smoke, 2013
13 % adults achieving at least 150 mins physical activity per week, 2013 14 % adults classified as obese, Active People Survey 2012 15 % adults classified as overweight or obese, Active People Survey 2012 16 Directly age standardised rate per 100,000 population, aged under 75, 2010-12 17 Directly age sex standardised rate per 100,000 population, 2013/14 18 The number of admissions involving an alcohol-related primary diagnosis or an alcohol-related external cause, directly age standardised rate per 100,000 population, 2013/14 19 Estimated users of opiate and/or crack cocaine aged 15-64, crude rate per 1,000 population, 2011/12 20 % people on GP registers with a recorded diagnosis of diabetes 2013/14 21 Crude rate per 100,000 population, 2011-13, local number per year figure is the average count 22 All new STI diagnoses (excluding Chlamydia under age 25), crude rate per 100,000 population, 2013 23 Directly age and sex standardised rate of emergency admissions, per 100,000 population aged 65 and over, 2013/14 24 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths) to average non-winter deaths 01.08.10-31.07.13 25 26 At birth, 2011-13 27 Rate per 1,000 live births, 2011-13 28 Directly age standardised rate per 100,000 population aged 35 and over, 2011-13 29 Directly age standardised mortality rate from suicide and injury of undetermined intent per 100,000 population, 2011-13 30 Directly age standardised rate per 100,000 population aged under 75, 2011-13 31 Directly age standardised rate per 100,000 population aged under 75, 2011-13 32 Rate per 100,000 population, 2011-13

† Indicator has had methodological changes so is not directly comparable with previously released values.


^A "Regional" refers to the former government regions.

Population Estimates

Teignbridge has a population of 127,357.

Population Pyramid - Teignbridge Population - 2014


The table and population pyramid below show the population broken down by age and sex for the area against England. The age and gender of your population can have a significant impact on their health and social care needs. Source: Office of National Statistics Mid Year Estimates



Population Structure, Devon vs England, 2013


Population Pyramid - Devon Population - 2013

The table and population pyramid below show the population broken down by age and sex for the area against England. The age and gender of your population can have a significant impact on their health and social care needs.




Source: ONS Mid-Year Population Estimate, 2013

Population by Broad Age Band, Devon Local Authority Districts, 2013



Source: ONS Mid-Year Population Estimate, 2013

Population Projections



The proportion of people aged 85 years or more in Bishops Teignton is 7.13% compared with the English average of 2.3%.

Teignbridge: Over 85 Population, 2013

CHUDLEIGH ENGLAND DEVON TEIGNBRIDGE BISHOPSTEIGNTON



1.86%

2.30%

3.53%

3.84%

7.13%

Like
England
in

1998


2013

2029


2030

2067


Overall Index of Multiple Deprivation 2015



The Health Deprivation and Disability Domain measures the risk of premature death and the impairment of quality of life through poor physical or mental health. The domain measures morbidity, disability and premature mortality but not aspects of behaviour or environment that may be predictive of future health deprivation.




The Barriers to Housing and Services Domain measures the physical and financial accessibility of housing and local services. The indicators fall into two sub-domains: 'geographical barriers', which relate to the physical proximity of local services, and 'wider barriers' which includes issues relating to access to housing such as affordability and homelessness.




The Living Environment Deprivation Domain measures the quality of the local environment. The indicators fall into two sub-domains. The 'indoors' living environment measures the quality of housing; while the 'outdoors' living environment contains measures of air quality and road traffic accidents.



Teignbridge Index of Deprivation 2015 Profile by Domain




Urban / Rural Deprivation Charts




Life Expectancy

The average life expectancy for the female population of the Teignbridge is 84.2 years and 80.1 for the male population. This is similar to the Devon average of 84.2 years for females and 80.4 for males and above the national average of 83.1 for females and 79.4 for males.




Source: Office of National Statistics

Life expectancy in Newton Abbot and Teignbridge are not statistically significantly different to the Devon average. Moretonhampstead has a statistically significantly higher life expectancy to Devon and Dawlish has a statistically significantly lower life expectancy to Devon.



Healthy Life Expectancy in Females



Map Title: Healthy Life Expectancy in Females by MSOA, 2009 to 2013

Author: Devon PHIT


Date: 18 December 2015



This map is reproduced from the Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office
© Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Devon County Council. 100019783. 2013

0 2,350 4,700 9,400 Meters

Healthy Life Expectancy in Males



Map Title: Healthy Life Expectancy in Males by MSOA, 2009 to 2013

Author: Devon PHIT


Date: 18 December 2015




This map is reproduced from the Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Devon County Council. 100019783. 2013

0 2,350 4,700 9,400 Meters

Conditions Contributing to the Life Expectancy Gap between Most Deprived and Least Deprived Communities: Males




Conditions Contributing to the Life Expectancy Gap between Most Deprived and Least Deprived Communities: Females




Mortality in Under 75s by main cause of death and risk factors

Deaths of under 75s in Teignbridge by main cause and risk factor, 2012 to 2014

1146 deaths (382 per annum)




Suicide and Undetermined Injury




Source: Public Health Outcomes Framework

Hospital Stays for Self-Harm




Incidence of Malignant Melanoma




Source: Public Health Outcomes Framework

Falls - Rates




Source: Public Health Outcomes Framework

Road Traffic Accidents




Source: Public Health Outcomes Framework

Fuel Poverty




Source: Public Health Outcomes Framework

Smoking Prevalence




Source: Public Health Outcomes Framework

Smoking in Pregnancy



Source: Local hospital maternity dataset


Smoking Related Deaths



Source: Public Health Outcomes Framework

Childhood Obesity


% of Children recorded as obese, Teignbridge, NCMP 2013-14



	Reception Year	Year Six
Teignbridge	7.6%	16.8%
Devon	8.9%	16.4%
South West	9.3%	16.7%
England	9.5%	19.1%


Trend in Excess Weight in Children Aged 4/5

Source: Health and Social Care Information Centre




Trend in Excess Weight in Children Aged 10/11

Source: Health and Social Care Information Centre



Adult Obesity


Adult Obesity (%), Teignbridge, 2012



Source: Public Health Outcomes Framework


Sexual Health

Newly Diagnosed Sexually Transmitted Infections per 100,000, Teignbridge, 2013


































Source: Public Health Outcomes Framework

Under 18 Conceptions



Source: Public Health Outcomes Framework

Premature Mortality by Cause

Indicator	Deaths P.A. (av)	Rates *			Comparison Chart	Relationship to...	
		Teignbridge	Devon	England		Devon	England
Infant Mortality	3	2.8	3.7	4.0		Similar	Similar
Preventable Mortality, Under 75, Persons	232	160.7	156.6	183.9		Similar	Lower
Preventable Mortality, Under 75, Male	141	209.3	201.0	233.1		Similar	Lower
Preventable Mortality, Under 75, Female	91	117.7	116.3	138.0		Similar	Lower
Cardiovascular Mortality, Under 75, Persons	82	62.7	63.8	78.2		Similar	Lower
Cardiovascular Mortality, Under 75, Male	58	92.6	92.4	109.5		Similar	Lower
Cardiovascular Mortality, Under 75, Female	24	35.1	37.1	48.6		Similar	Lower
Preventable Cardiovascular Mortality, Under 75, Persons	51	38.1	41.3	50.9		Similar	Lower
Preventable Cardiovascular Mortality, Under 75, Male	38	59.4	64.3	76.7		Similar	Lower
Preventable Cardiovascular Mortality, Under 75, Female	13	18.3	19.8	26.5		Similar	Lower
Cancer Mortality, Under 75, Persons	180	138.0	130.9	144.4		Similar	Similar
Cancer Mortality, Under 75, Male	101	160.2	142.9	160.9		Similar	Similar
Cancer Mortality, Under 75, Female	79	117.6	119.8	129.2		Similar	Similar
Preventable Cancer Mortality, Under 75, Persons	99	75.8	71.6	83.8		Similar	Similar
Preventable Cancer Mortality, Under 75, Male	53	83.8	75.4	91.3		Similar	Similar
Preventable Cancer Mortality, Under 75, Female	46	68.4	68.0	76.9		Similar	Similar
Liver Disease Mortality, Under 75, Persons	15	11.8	11.9	17.9		Similar	Lower
Liver Disease Mortality, Under 75, Male	10	15.6	15.1	23.6		Similar	Lower
Liver Disease Mortality, Under 75, Female	6	N.R.	8.9	12.5			
Preventable Liver Disease Mortality, Under 75, Persons	15	11.8	10.8	15.7		Similar	Similar
Preventable Liver Disease Mortality, Under 75, Male	10	15.6	14.1	21.1		Similar	Similar
Preventable Liver Disease Mortality, Under 75, Female	6	N.R.	7.8	10.5			
Respiratory Mortality, Under 75, Persons	40	31.4	23.9	33.2		Similar	Similar
Respiratory Mortality, Under 75, Male	23	37.3	29.2	39.1		Similar	Similar
Respiratory Mortality, Under 75, Female	17	25.8	19.1	27.6		Similar	Similar
Preventable Respiratory Mortality, Under 75, Persons	21	16.0	11.8	17.9		Similar	Similar
Preventable Respiratory Mortality, Under 75, Male	12	19.1	14.8	20.4		Similar	Similar
Preventable Respiratory Mortality, Under 75, Female	9	13.1	9.0	15.5		Similar	Similar
Communicable Disease Mortality, Persons	114	66.6	57.9	62.2		Similar	Similar
Communicable Disease Mortality, Male	43	71.3	68.9	72.1		Similar	Similar
Communicable Disease Mortality, Female	72	65.1	51.6	56.2		Higher	Similar
Suicide Rate, Persons	13	10.9	10.4	8.8		Similar	Similar
Suicide Rate, Male	10	17.0	16.4	13.8		Similar	Similar
Suicide Rate, Female	3	N.R.	4.9	4.0			


* Infant Mortality is rate per 1,000 live births; other rates are direct age standardised rates per 100,000 population
N.R. highlights instances where a rate cannot be calculated due to small numbers.

Comparison Charts – Teignbridge, Devon and England

Source: Primary Care Mortality Database

Projections of Health and Social Care Conditions

Projections of Predicted Teignbridge Population by Health and Social Care Related Conditions, Aged 65 and Above (Source: POPPI)




Domestic Abuse and Sexual Violence Factsheet

An estimated 8.5% women and 4.5% of men have been a victim of domestic abuse past 12 months (Source: Crime Survey for England and Wales 2013/14: Chapter 4: Violent Crime and Sexual Offences - Intimate Personal Violence and Serious Sexual Assault).


- An estimated 2.2% women and 0.7% of men experienced sexual assaults (including attempts) in the past 12 months (Source: Crime Survey for England and Wales 2013/14: Chapter 4: Violent Crime and Sexual Offences - Intimate Personal Violence and Serious Sexual Assault).
- Domestic abuse and sexual violence can affect anyone, though those from certain groups including younger people (under 25), women, LGBT, those with physical disabilities and mental health needs, and people from BME groups are all at higher risk of experiencing violence and abuse.
- Perpetrators of abuse and violence come from all sectors and parts of society
- Patterns of abuse at home are often repeated in successive relationships and across generations.
- Over 90% of victims of sexual violence know the perpetrator. Locally 33% of rape crisis clients have ongoing contact with the perpetrator.
- The costs of domestic violence and sexual abuse are extensive to the public purse. In Devon, Home Office research estimates that domestic violence costs the statutory agencies over £70 million^[1].
- Domestic abuse can have a profound effect on the whole family. Children are present at 36% of incidents reported to the police in Devon (2013/14).
- Experiencing abuse causes or exacerbates a wide range of other vulnerabilities and needs. Of adult victims using Devon's domestic violence services in 2014-15:
 - 38% reported Mental Health Issues
 - 21% reported Suicide Attempts and Self-harm
 - Substance Misuse (9% reported alcohol abuse and 6% drug abuse)
 - 30% experienced Financial Problems
 - Many experienced homelessness and housing issues
 - Parenting Problems were common (40% of their children were had social services involvement)

^[1] Walby S. The cost of domestic violence; update 2009. Lancaster, Lancaster University;2009
http://www.lancs.ac.uk/fass/doc_library/sociology/Cost_of_domestic_violence_update.doc (accessed 03 August 2010) calculated for local authorities by Trust for London and the Henry Smith Charity

Those aged 16-59 estimated victims of domestic abuse (2013-14)




Those aged 16-59 estimated victims of sexual violence (2013-14)



Source: Crime Survey for England and Wales 2013-14 and ONS 2014 Mid-Year Population Estimates


Immunisations – Flu vaccines in over 65 year olds

Flu vaccine uptake in 65 year olds and over (%), Teignbridge, January 2015




Source: ImmForm

Immunisations – Flu vaccines in 'at-risk' population aged under 65 year olds




Source: ImmForm

Immunisations – Childhood Vaccinations




Source: Public Health Outcomes Framework

Dementia Diagnosis Rates



Source: Primary Care Data Tool, dementia prevalence calculation tool

Alcohol Related Hospital Admissions



Source: Public Health Outcomes Framework

